



Box 6431, South Main Street, Franklin, NH 03235-6431 USA, Telephone (603) 934-5110, Fax (603) 934-1398

March 1, 2014

Office of Enforcement and Compliance Assurance
Office of Federal Activities, International Compliance Assurance Division (2254A)
Environmental Protection Agency
1200 Pennsylvania Avenue, NW
Washington, DC 20460

RE: CY2014 Annual Export Report

Below is our Annual Export Report as required by 40 CFR 262.56:

- | | |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Exporter Information | Webster Valve, Inc. (Division of Watts Water Technologies)
583 South Main Street
PO Box 6431
Franklin, NH 03235
EPA ID No. NHD058537960 |
| 2. Calendar year | 2014 |
| 3. Consignee: | Stablex Canada, Inc.
760 Industrial BLVD
Blainville, Quebec, Canada J7C 3V4 |
| 4. Waste Description: | FOUNDRY SAND, SPENT REFRACTORY CEMENT, LEAD
CONTAMINATED PPE |
| 4.1 EPA Waste Code(s): | D008, D006 |
| 4.2 DOT Proper Shipping Names: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Lead), Class 9, UN 3077, III |
| 4.3 Transporter(s) Used: | Transport Rollex LTD. (US EPA ID No. NYF006000053) |
| 4.4 Total Volume Exported: | 110.4 tons |
| 4.5 Number of shipments | 6 |

5. Waste Reduction program

(i) Efforts taken in 2014 to reduce waste volume and toxicity:

We continue to transition to low-lead metal alloys with a lead content of less than one percent. The lead in sand molds and refractory materials from low lead alloy castings is below RCRA regulatory levels and the resulting waste products can be reused or disposed as non-hazardous. As the market continues to move toward low-leaded products, our shipments of associated hazardous wastes are projected to decline.

(ii) A description of the changes in volume and toxicity of waste actually achieved during the year in comparison to previous years:

The foundry generated 110 tons of lead contaminated sand and refractory materials in 2014, lower than the 129 tons generated in CY 2014. We believe this was primarily due to the transition to low lead castings described above.

CERTIFICATION:

I certify under penalty of law that I have personally examined and am familiar with the information contained in this and all the attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Watts Water Technologies, Webster Valve, Inc.



Richard Masters, P.E
Corporate Environmental Manager



Franklin Facility

585 South Main Street • Franklin, NH • 03235-6431

MANCHESTER
NH 030
15



FCL20199652



Office of Enforcement and Compliance
Assurance
Office of Federal Activities, International
Compliance Assurance Division (2254A)
Environmental Protection Agency
1200 Pennsylvania Avenue, NW
Washington, DC 20460

20460



343